



## Product Part Number

CKO-CW19-075026-0101

### ✓ Model Number Definitions

**CKO-XXXX-XXXXXX-XXXX**




- A. Chun Kuang Optics Corp. Product
- B. Product Type: product abbreviation  
Ex:  
MX→Multi 33 in 1  
SW→Single Wall Washer  
CW→Wall Washer for CoB LED  
HC→Holder for CoB LED

- C. Identity Code
- D. Lens / Fixture Size  
Ex: 075026=Φ75mm / Thickness=26mm (round up)
- C. Serial Numbers

The lens datasheet is applicable for **Citizen LED**, that manufactured by Chun Kuang Optics Corp.

### ✓ Dimensions (mm) : **Φ75x25.4**




▽:Critical Dimension


[illegible]




## Optical Characteristics

|                |                             |                   |                                                                                                                    |
|----------------|-----------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------|
| Part Number    | CKO-CW19-075026-0101        |                   | <div><p>"H" definition</p></div> |
| LED            | CLU038                      |                   |                                                                                                                    |
| LES / LED Size | Φ 14.5 mm                   |                   |                                                                                                                    |
| FWHM (D50)     | 29°x32°                     |                   |                                                                                                                    |
| H (distance)   | 3.65mm                      |                   |                                                                                                                    |
| Dimension      | Φ =75 mm, Thickness=25.4 mm |                   |                                                                                                                    |
| Luminous Flux  | 2478 lm                     | Measured @ 26.1 W |                                                                                                                    |
| Material       | PC / UL94V2                 |                   |                                                                                                                    |

## cd/klm




## Illuminance At Distances






## Optical Characteristics

| Part Number    |                             | CKO-CW19-075026-0101 |  | <div><p>"H" definition</p></div> |
|----------------|-----------------------------|----------------------|--|--------------------------------------------------------------------------------------------------------------------|
| LED            | CLU034                      |                      |  |                                                                                                                    |
| LES / LED Size | Φ 14.5 mm                   |                      |  |                                                                                                                    |
| FWHM (D50)     | 31°x37°                     |                      |  |                                                                                                                    |
| H (distance)   | 3.65mm                      |                      |  |                                                                                                                    |
| Dimension      | Φ =75 mm, Thickness=25.4 mm |                      |  |                                                                                                                    |
| Luminous Flux  | 2319 lm                     | Measured @ 26.0 W    |  |                                                                                                                    |
| Material       | PC / UL94V2                 |                      |  |                                                                                                                    |

## cd/klm



## Illuminance At Distances

