




Product Model Number

CKO-M312-035011-2501

✓ Model Number Definitions

CKO-XXXX-XXXXXX-XXXX




- A. Chun Kuang Optics Corp. Product
- B. Product Type: product abbreviation
Ex:
CH→CoB High Intensity
CC→CoB Compact
CS→Soft Shading for CoB LED
HC→Holder for CoB LED

- C. Identity Code
- D. Lens / Fixture Size
Ex: 075026=Φ75mm / Thickness=26mm (round up)
- C. Serial Numbers

The lens datasheet is applicable for **Osram** LED, that manufactured by Chun Kuang Optics Corp.

✓ Dimensions (mm) : Φ35 x 10.9



▽:Critical Dimension



✓ Optical Characteristics – Angle Performances


[illegible]




Optical Characteristics

Model Number	CKO-M312-035011-2501	
LED	Duris S5	
LES / LED Size	3 x 3 mm	
FWHM (D50)	24°	
Field Angle (D10)	47°	
Dimension	Φ =35 mm, Thickness=10.9 mm	
Luminous Flux	269 lm	Measured @ 2.7 W
Material	PC / UL94V0	

cd/klm



Illuminance At Distances







Optical Characteristics

Model Number	CKO-M312-035011-2501	
LED	Oslon Square	
LES / LED Size	3 x 3 mm	
FWHM (D50)	24°	
Field Angle (D10)	46°	
Dimension	Φ =35 mm, Thickness=10.9 mm	
Luminous Flux	267 lm	Measured @ 2.7 W
Material	PC / UL94V0	

cd/klm



Illuminance At Distances







Optical Characteristics

Model Number	CKO-M312-035011-2501	
LED	Oslon SSL 80	
LES / LED Size	3 x 3 mm	
FWHM (D50)	24°	
Field Angle (D10)	44°	
Dimension	Φ =35 mm, Thickness=10.9 mm	
Luminous Flux	266 lm	Measured @ 3.0 W
Material	PC / UL94V0	

cd/klm



Illuminance At Distances






Optical Characteristics

Model Number	CKO-M312-035011-2501	
LED	Oslon SSL 150	
LES / LED Size	3 x 3 mm	
FWHM (D50)	23°	
Field Angle (D10)	42°	
Dimension	Φ =35 mm, Thickness=10.9 mm	
Luminous Flux	276 lm	Measured @ 3.1 W
Material	PC / UL94V0	

cd/klm



Illuminance At Distances

