



Product Model Number

CKO-SA20-075026-0409

✓ Model Number Definitions

CKO-XXXX-XXXXXX-XXXX

↑
(A)

↑
(B)

↑
(C)

↑
(D)

↑
(E)






- A. Chun Kuang Optics Corp. Product
- B. Product Type: product abbreviation
Ex:
CH→CoB High Intensity
CC→CoB Compact
CS→Soft Shading for CoB LED
HC→Holder for CoB LED

- C. Identity Code
- D. Lens / Fixture Size
Ex: 075026=Φ75mm / Thickness=26mm (round up)
- C. Serial Numbers

The lens datasheet is applicable for **Luminus LED**, that manufactured by Chun Kuang Optics Corp.

✓ Dimensions (mm) : Φ75 x 25.4



▽:Critical Dimension

Chun Kuang Optics Corp.


2021/8/25

5F.,No. 122-8, Jhonghua Rd, Hukou Township, Hsinchu County 303 , Taiwan
TEL : +886-3-6960168 / FAX : +886-3-6960228 / E-mail: sales@ckoptics.com


[illegible]




Optical Characteristics

Model Number	CKO-SA20-075026-0409		“H” definition 
LED	CXM-9-AC30		
LES / LED Size	Φ 9.6 mm		
FWHM (D50)	18°x41°		
Field Angle (D10)	51°x79°		
H (distance)	3.65 mm		
Dimension	Φ =45 mm, Thickness=20.9 mm		
Luminous Flux	1259 lm	Measured @ 12.1 W	
Material	PC / UL94V2		

cd/klm




Illuminance At Distances







Optical Characteristics

Model Number	CKO-SA20-075026-0409		“H” definition 
LED	CXM-9-AC40		
LES / LED Size	Φ 9.8 mm		
FWHM (D50)	18°x41°		
Field Angle (D10)	51°x79°		
H (distance)	3.65 mm		
Dimension	Φ =75mm, Thickness=25.4 mm		
Luminous Flux	1296 lm	Measured @ 12.4 W	
Material	PC / UL94V2		

cd/klm




Illuminance At Distances







Optical Characteristics

Model Number	CKO-SA20-075026-0409		
LED	CXM-11-AC30		
LES / LED Size	Φ 11.7 mm		
FWHM (D50)	20°x41°		
Field Angle (D10)	53°x80°		
H (distance)	3.65 mm		
Dimension	Φ =45 mm, Thickness=20.9 mm		
Luminous Flux	1509 lm	Measured @ 15.4 W	
Material	PC / UL94V2		

cd/klm




Illuminance At Distances






Optical Characteristics

Model Number	CKO-SA20-075026-0409		
LED	CLM-14-AC40		
LES / LED Size	Φ 14.5 mm		
FWHM (D50)	24°x41°		
Field Angle (D10)	59°x81°		
H (distance)	3.65 mm		
Dimension	Φ =75 mm, Thickness=33 mm		
Luminous Flux	2314 lm	Measured @16.7 W	
Material	PC / UL94V2		

cd/klm



Illuminance At Distances

